

Experimental investigation and modeling of the mechanical behaviour of Yanji swelling mudstone subjected to wetting-drying-freezing-thawing cycles

Zhixiong Zeng, Ling-Wei Kong, Yu-Jun Cui

▶ To cite this version:

Zhixiong Zeng, Ling-Wei Kong, Yu-Jun Cui. Experimental investigation and modeling of the mechanical behaviour of Yanji swelling mudstone subjected to wetting-drying-freezing-thawing cycles. Transportation Geotechnics, 2023, 39, 10.1016/j.trgeo.2023.100956. hal-04181899

HAL Id: hal-04181899 https://enpc.hal.science/hal-04181899v1

Submitted on 16 Aug 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Experimental investigation and modeling of the mechanical behaviour of Yanji

2 swelling mudstone subjected to wetting-drying-freezing-thawing cycles

Zhixiong Zeng^{1*}, Ling-Wei Kong², Yu-Jun Cui³ 3 4 ¹: Department of Civil and Environmental Engineering, Hong Kong University of Science and 5 Technology, Hong Kong SAR, China 6 7 ²: State Key Laboratory of Geomechanics and Geotechnical Engineering, Institute of Rock and Soil 8 Mechanics, Chinese Academy of Sciences, Wuhan 430071, China ³: Laboratoire Navier/CERMES, Ecole des Ponts ParisTech, Champs-sur-Marne, 77455 9 10 Marne-la-Vall & cedex 2, France 11 12 13 *Corresponding author 14 Research Assistant Professor Zhixiong Zeng, PhD Department of Civil and Environmental Engineering 15 The Hong Kong University of Science and Technology 16 Clear Water Bay, Hong Kong 17 18 China 19 Tel.: +852 95025487

20

E-mail address: zhixiongzeng@ust.hk

Abstract: Rocks and soils in seasonally frozen regions are subjected to cyclic wetting-drying-freezing-thawing (WDFT) process. The influence mechanism of WDFT process on their mechanical behaviour is not fully understood and the existing constitutive models are not capable of capturing the strain-softening behaviour under WDFT cycles. In the present study, a series of consolidated drained triaxial compression and mercury intrusion porosimetry tests were performed on Yanji mudstone subjected to WDFT cycles. Results indicated that the WDFT cycles could induce a large amount of cracks and large pores between aggregates and compress the aggregates with a decrease of the intra-aggregate pores. After cyclic WDFT process, the specimens exhibited more significant strain-softening and dilative behaviour. The elastic modulus, peak and residual shear strengths of the mudstone decreased significantly with increasing WDFT cycles, especially in the case of low confining pressures. These decreases were more pronounced in the first four cycles and became negligible after 4 cycles. As the cyclic number increased, the cohesion of specimens decreased remarkably owing to the presence of cracks and the destruction of bonds between aggregates. By contrast, the effective friction angle, Poisson's ratio and dilatancy angle increased with the WDFT cycles due to the more compact aggregates induced by the high suction during drying process. A nonlinear elastic constitutive model was developed for describing the strain-softening behaviour of Yanji mudstone subjected to WDFT cycles. The deviator stress-axial strain relationship predicted by the proposed model agreed well with the measured one, indicating the relevance of the predictive model.

40 **Keywords:** swelling mudstone; wetting-drying-freezing-thawing cycle; stress-strain behaviour;

microstructure; modelling

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

1 Introduction

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

upon wetting [19-21].

Swelling rock and soils correspond to the deposits composed of large amounts of clay minerals (e.g. montmorillonite and illite). These deposits are widely found in more than 60 countries such as Australia, China, Sudan, Spain, USA, etc [1, 2]. Due to the special mineralogical compositions, swelling rocks and soils are diverse in appearance and hydro-mechanical properties. They can develop significant swell or swelling pressure after contact with water, and shrink upon desiccation. Additionally, they might exhibit an acceptable strength in dry condition while soften significantly upon the presence of water [1, 3]. These variable properties cause severe distress to the associated geotechnical infrastructures, such as non-uniform settlement, pavement cracking, and slope failure [4-7]. It is therefore essential to thoroughly evaluate the mechanical behaviour of swelling rocks and soils to achieve a reliable design and operation of geotechnical infrastructures. Over the past decades, many studies attempted to address the couplings between changes in water content and the induced modifications in fabric and mechanical property for swelling rocks and soils [8-12]. It was documented that the swelling behaviour of swelling rocks and soils could be influenced by many factors, including moisture content, dry density and clay mineral content [13-15]. Generally, the final swelling pressure and swelling strain increased as the initial dry density and clay mineral content increased. By contrast, as the initial water content increased, the final swelling pressure or swelling strain decreased [16-18]. After swelling, the breakage of cementation between particles would lead to a significant reduction of shear strength. Furthermore, a lower initial water content could more significantly reduce the shear strength due to the larger swelling deformation Additionally, the mechanical properties of swelling rocks and soils can be possibly altered by cyclic climate loadings [22-26]. In this regard, most common environmental factor is wetting-drying (WD) cycles. Nowamooz and Masrouri [27, 28] indicated that the successive WD processes induced a progressive accumulation of irreversible strains, and the loose and dense expansive soil specimens achieved a unique final state after several cycles. Additionally, the desiccation and shrinkage could facilitate the crack propagation, and the crack surface became more irregular and coarse with repeated WD [29]. Such irreversible strain and cracks led to the destruction of bonds and resulted in degradation of the hydro-mechanical behaviour of the swelling rocks and soils [23, 28, 30].

Recently, there is a rapid increase of geotechnical constructions in seasonally frozen regions due to significant residential land and transportation network developments [31, 32]. In these regions, the rocks and soils are subjected to not only seasonal WD cycles, but also frequent freezing-thawing (FT) process [7, 33]. During freezing, the formation of ice lenses would modify their structure on the micro and macro-scales and reduce their integrity [34, 35]. After FT cycles, the large-pore volume increased and the surface crack propagated [32, 36]. These large pores and cracks not only led to a larger hydraulic conductivity [37, 38] but also weakened the rocks and soils in terms of loss in strength and stiffness [7, 39, 40].

In many seasonally frozen regions with monsoon climates, winters are cold with frequent and heavy snowfall, and summers are hot with sufficient rainfall. It would be more relevant to take into account the influences of both WD and FT processes. However, most of previous researches focused on the mechanical behaviour of swelling rocks and soils subjected to separate WD or FT

process. In spite of some recent works by Zhao et al. [6] and Zhu et al. [41], the information about the mechanical properties under the combined action of WD and FT cycles is quite scarce and the influence mechanism of wetting-drying-freezing-thawing (WDFT) cycles has not been fully understood. In addition, the swelling rocks and soils can possess a significant strain-softening behaviour due to their relatively high fragility especially after cyclic WD process, and it becomes essential to capture the strain-softening behaviour in the simulation of slope progressive failure under WDFT cycles. However, the existing constitutive models are not capable of characterising the strain-softening behaviour for swelling rocks and soils subjected to WDFT cycles.

In the present work, a series of consolidated drained (CD) triaxial compression tests under different confining pressures were carried out on Yanji swelling mudstone specimens subjected to various WDFT cycles, and the effect of WDFT on the Young's modulus, peak and residual shear strengths, effective friction angle, effective cohesion, Poisson's ratio and dilatancy angle was determined. In parallel, the microstructure evolution of swelling mudstone during WDFT cycles was also investigated using MIP technique, enabling the deterioration mechanism of those mechanical properties to be advanced. Additionally, a nonlinear elastic constitutive model considering the WDFT effect was proposed to further simulate the triaxial stress-strain behaviour of mudstone specimens. The predictive performance of the proposed model was verified using the test results.

2 Materials and Experimental methods

2.1 Materials

The study area is located at the Yanji section of Jilin-Hunchun railway line, where a great number of mudstone cut slopes failed after rainfalls (Fig. 1a). Subsequently, many excavation works and reinforcement measures, such as anti-slide piles, arch grille beams and retaining walls, were conducted after the failure of cutting slopes [19]. The mudstone samples were extracted from a typical K275 landslide (Fig. 1b). Table 1 summarises the geotechnical properties and mineralogical composition of the mudstone. The specific gravity, liquid limit, plastic limit and shrinkage limit of the mudstone are 2.72, 41.4%, 15.8%, and 13.9%, respectively. The mudstone has a natural dry density of 1.67 Mg/m³, a natural water content of 20.0% and a liquidity index of 0.16. Its free swelling ratio and volume shrinkage ratio are 54% and 14%, respectively, defining a low swell potential [42]. For the measurement of shrinkage characteristics, a specimen with natural water content and dry density was prepared and then dried until the specimen mass decreased to a constant value. The shrinkage limit was determined at the inflection point where the increasing rate of shrinkage strain changed significantly with the decreasing water content. From the X-ray diffraction (XRD) analysis (Fig. 2), the dominant clay mineral of the mudstone is montmorillonite (23.0%), with others being illite, feldspar, quartz and dolomite. The maximum dry density and the optimum water content of the mudstone were also determined by standard Proctor compaction test, equal to 1.72 Mg/m³ and 20.6%, respectively.

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

As shown in Fig. 1a, the mudstone was subjected to extensive crushing and backfilling works during the landslide remediation and the original structure of the mudstone was greatly disturbed by the artificial activities [43]. To represent field conditions, the tested mudstone was first air dried and then crushed to less than 2 mm. The grain size distribution of the crushed mudstone is shown in Fig. 3.

The grains larger than 0.075 mm and those smaller than 0.075 μ m were measured by the wet-sieving and hydrometer methods, respectively. The mean grain diameter (D_{50}) of crushed mudstone is 0.068 mm and the clay-size fraction is 7.4%.



Fig. 1 Sample site and extracted sample: (a) the mudstone slope at the K275 section of Jilin-Hunchun railway line, and (b) the swelling mudstone in a 4.0 m deep trench

Table 1 Characteristics of the studied mudstone

| Property | Value | |
|---------------------------|-----------------|------|
| Water content (%) | 20.0 | |
| Dry density (Mg/m³) | 1.67 | |
| Specific gravity | 2.72 | |
| Void ratio | 0.63 | |
| Liquid limit (%) | 41.4 | |
| Plasticity index | 15.8 | |
| Free swelling ratio (%) | 54 | |
| Volume shrinkage ratio (% | 14.0 | |
| Contraction coefficient | 0.49 | |
| Shrinkage limit (%) | 13.9 | |
| Maximum dry density (Mg | 1.72 | |
| Optimum water content (% | 20.6 | |
| Mineral composition | Montmorillonite | 23.0 |
| (%) | Illite | 5.2 |
| | Dolomite | 3.1 |
| | Feldspar | 45.2 |
| | Quartz | 23.5 |




Fig. 2 X-ray diffraction pattern of the tested mudstone




Fig. 3 Grain size distribution of the tested mudstone

2.2 Specimen preparation

In the field, the mudstone was crushed and compacted without adding more water in September 2013 because the natural water content was close to its optimum water content (20.6%). To simulate field conditions, the crushed mudstone was wetted by spraying deionised water to achieve a natural water content of 20.0%. The wet mudstone was mellowed in plastic bags for 48 hours for water homogenization. After that, the wet mudstone was subjected to static compaction to reach a dry density of 1.67 Mg/m³, which corresponded to a compaction degree of 97%. The diameter and

height of obtained specimens are 61.8 and 125 mm, respectively. In this work, 64 specimens were prepared in total, with 4 specimens for each cycle.

In the study area, the monthly and daily mean temperatures are in the ranges of -13.2-21.7 ℃ and -18.2-29.3 ℃ while the relative humidity is 53-79%. To investigate the influence of climate condition on the mechanical behaviour, some of the prepared specimens were subjected to cyclic WDFT treatment using a temperature and humidity control box (Fig. 4). The detailed operating procedures of WDFT cycles are shown in Fig. 5. The specimens were first dried at a prescribed temperature (25 ℃) and a prescribed relative humidity (75%) in a temperature and humidity control box until the shrinkage limit of 13.9% was reached (Fig. 4b). Then, the they were vacuum saturated with deionised water and then subjected to drying at a prescribed temperature (25 ℃) and a prescribed relative humidity (75%) in the control box until the water content achieved the initial one (20.0%). Afterwards, freezing-thawing cycles were applied to the specimens. They were wrapped with plastic film and transferred to the control box of −15 °C for 12 h freezing (Fig. 4c). Subsequently, the specimens were stored at 15 ℃ for 12 h thawing. To account for the number of WDFT cycles (n), the specimens were subjected to 1, 2, 4, 6, and 8 cycles, respectively.

2.3 Experimental methods

The mechanical behaviour of specimens after various WDFT cycles was studied by CD triaxial tests using a conventional strain-controlled triaxial compression apparatus. The specimens were first vacuum saturated for more than 24 h. Then, a back pressure of 100 kPa and a cell pressure of 110 kPa were applied on the specimens to dissolve air bubbles for another 24 h. After that, the Skempton's *B* value was determined, larger than 0.98 for all tests. The cell pressure was increased

to the designed values of 150, 200, 300, and 400 kPa (corresponding to effective confining pressures of 50, 100, 200 and 300 kPa) for subsequent consolidation. Note that the adopted maximum confining pressure was determined according to the mudstone burial depth [19]. After that, according to ASTM D7181-20 [44], a shear rate as low as 0.015 mm/min was adopted for all tests, allowing a full dissipation of pore water pressure. During subsequent shearing, axial force and volume change were recorded. The tests ended when the axial strain reached 20%.



Fig. 4 WDFT process in the temperature and humidity control box: (a) test apparatus, (b) drying process, and (c) freezing-thawing (FT) process




Fig. 5 Operating procedures of cyclic WDFT for Yanji swelling mudstone

To clarity the microstructure evolution of swelling mudstone with WDFT cycles, the pore size distributions of the as-compacted specimen (n=0) and those after various WDFT cycles (n=1, 2, 4, 6 and 8) were determined using an Autopore IV 9500 mercury intrusion porosimeter produced by Mike Co. The specimens were first cut into small cubes and rapidly frozen. After that, they were dried through sublimation in a vacuumed chamber for more than 24 h. During MIP test, the freeze-dried cube was placed into a low pressure chamber, and then a high pressure chamber. The working pressure increased from 3.6 to 200 MPa, allowing the pores with a diameter of 350 μ m-6 nm to be detected.

3 Experimental results

3.1 Stress-strain behaviour

The variations of deviator stress (q) with axial strain (ε_1) for the as-compacted specimens (n=0) and those subjected to various WDFT cycles (n=1, 2, 4, 6 and 8) under different confining pressures (σ_3) are displayed in Fig. 6. For the specimens before WDFT cycles, the deviator stress increased rapidly at the beginning with the increase of axial strain, and then tended to stabilization, showing strain-hardening or slightly strain-softening behaviour. By contrast, for the specimens after WDFT cycles, the deviator stress increased, reached a peak and finally decreased, exhibiting remarkable strain-softening behaviour. Obviously, the deviator stress-axial strain curves of specimens subjected more WDFT cycles lied below those for less WDFT cycles. In addition, the lower the confining pressure, the more pronounced the influence of WDFT cycles on the stress-strain behaviour of specimens.




Fig. 6 Deviator stress and volumetric strain versus axial strain curves for the specimens before and after various WDFT cycles: (a) σ_3 =50 kPa, (b) σ_3 =100 kPa, (c) σ_3 =200 kPa, and (d) σ_3 =300 kPa

3.2 Volumetric strain

Fig. 6 also depicts the variations of volumetric strain (ε_v) with axial strain (ε_1) under various confining pressures before and after different WDFT cycles. For the specimens under low confining pressures, the volume change behaviour was characterized by contraction and subsequent dilatancy. Furthermore, the higher the cyclic number, the more significant the dilatancy behaviour. Nevertheless, the dilatancy was reduced with increasing confining pressure. As the confining pressure increased from 50 to 300 kPa, the contraction increased and the dilatancy decreased. In the case of a confining pressure of 300 kPa, pure contraction behaviour was identified especially for the specimens without application of WDFT cycles.

3.3 Elastic modulus and Shear strength

As schematically illustrated in Fig. 7, the elastic modulus, peak shear strength and residual shear strength can be determined from the deviator stress-axial strain curve. The elastic modulus represents the tangent modulus at the beginning of shearing and it is defined as the ratio of deviator stress to the axial strain in the range of 0%–1% [45]. The peak shear strength refers to the maximum deviator stress, while the residual shear strength is the asymptote of the deviator stress. Considering the

evolution law of deviator stress, the asymptote was determined by fitting the softening phase of deviator stress-axial strain curve using a logarithm function. As an example, the fitting results of the specimen 8 WDFT cycles and under a confining pressure of 50 kPa is presented in the Fig. 7. The deviator stress asymptotic value corresponds to the constant term of logarithm function (98.736 kPa). The variations of calculated elastic modulus, and peak and residual shear strengths against the number of WDFT cycles for the specimens under various confining pressures are summarized in Figs. 8 and 9. As expected, larger elastic modulus and peak shear strengths were identified for the specimens under a larger confining pressure, regardless of the WDFT cycles. From Fig. 8, it appeared that the elastic modulus declined with the increasing WDFT cycles for the specimens under a given confining pressure. Additionally, the decreasing rate reduced with the increase of WDFT cycles and it approached zero after the four cycles. A comparison of the specimens under various confining pressures showed that the decrease of shear strength was more pronounced for the specimens under a confining pressure of 50 kPa. For the specimens under a given confining pressure, both the peak and residual shear strengths decreased significantly at the four cycles and then tended to stabilise (Fig. 9), which was consistent with the observed WDFT effect on the elastic modulus. On the whole, the lower the confining pressure, the more significant the decreases of peak and residual shear strengths. The variation of the initial elastic modulus with peak shear strength for all the specimens is presented in Fig. 10. The elastic modulus increased with the peak shear strength. The relationship between the elastic modulus and peak shear strength can be well described using the following equation with a squared correlation coefficient R^2 as high as 0.969:

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

$$E_0 = 5547.603 + 79.081q_{\rm p} \tag{1}$$




Fig. 7 Determination of elastic modulus E_0 , peak shear strength q_p and residual shear strength q_r




Fig. 8 Variations of elastic modulus with the number of WDFT cycles





Fig. 9 Variations of peak and residual shear strengths with the number of WDFT cycles: (a) peak shear strength, and (b) residual shear strength



244

Fig. 10 Relationship between of elastic modulus and peak shear strength

246

247

248

249

250

251

256

257

258

259

245

To further analyse the influence of WDFT cycles on the mechanical behaviour, the peak and residual shear strengths are replotted in the plane of deviator stress (q) and mean effective stress (p')in Fig. 11. As the cyclic number increased, the state lines at peak and critical states shifted down. According to the state lines, the effective friction angle and effective cohesion at critical and peak states can be determined using the following equations:

$$\sin\phi_{\mathbf{p}}' = \frac{3M_p}{6+M_p} \tag{2}$$

$$c_{p}' = \frac{S_{p}(3-\sin\varphi_{p})}{6\cos\varphi_{p}}$$
(3)

$$\sin\phi_{\rm r}' = \frac{3M_r}{6+M_{\rm r}} \tag{4}$$

$$\sin \phi_{r}^{'} = \frac{3M_{r}}{6+M_{r}}$$

$$c_{r}^{'} = \frac{S_{r}(3-\sin \varphi_{r})}{6\cos \varphi_{r}}$$
(4)

where M_p and M_r are the slopes of the peak and critical state lines, respectively, S_p and S_r are the intercepts of the peak and critical state lines, $\phi_{\rm p}^{'}$ and $\phi_{\rm r}^{'}$ are the effective friction angles at the peak and critical states, and $c_p^{'}$ and $c_r^{'}$ refer to the effective cohesions at the peak and critical states. Fig. 12 displays the variations of the effective friction angles and effective cohesions at peak and critical states with the number of WDFT cycles. It could be observed that for all the specimens, the effective cohesion at peak state was significantly larger than the effective cohesion at critical state while the effective friction angle at peak state was slightly lower than that at critical state. As the cyclic number increased, the effective cohesions at both peak and critical states decreased significantly while the effective friction angles slightly. The relationships between the effective cohesion, effective friction angle and the number of WDFT cycles could be described using Eqs. (6-9):

$$c_{p}'=29.785+34.684e^{-0.535n}$$
 (6)

$$c_{\rm r}'=46.733e^{-0.754n} \tag{7}$$

$$\phi_{p}' = 26.959 - 2.398e^{-0.512n}$$
 (8)

$$\phi_{r}^{'}=27.334-1.936e^{-1.226n} \tag{9}$$




Fig. 11 State lines in the plane of deviator stress and mean effective stress: (a) peak state, and (b) critical state




Fig. 12 Relationship between of peak and residual shear strength parameters, and the number of WDFT cycles: (a) effective cohesion, and (b) effective friction angle

3.4 Poisson's ratio and dilatancy angle

To further analyse the volume changes during shearing, the Poisson's ratio (v) and dilatancy angle (ψ) were determined according to the volumetric strain-axial strain curves. As an example, Fig. 13 illustrates the deamination of Poisson's ratio and dilatancy angle. The slopes of volumetric strain-axial strain curves in the contractive and dilatancy phases are designated as k_c and k_D , respectively. These two parameters Poisson's ratio and dilatancy angle can be derived using Eqs. (10) and (11), respectively [46]:

$$v = \frac{1 - k_{\rm c}}{2} \tag{10}$$

$$\sin \psi = \frac{k_{\mathrm{D}}}{-2 + k_{\mathrm{D}}} \tag{11}$$

Fig. 14a displays the variation of Poisson's ratio with WDFT cycles under various confining pressures. For the specimens under various confining pressures, the Poisson's ratio increased with the increasing cyclic number, albeit at a small increasing rate. After given WDFT cycles, the Poisson's ratio value decreased as the confining pressure increased, which was consistent with the volumetric

strain-axial strain relationships (Fig. 6). As the confining pressure increased, the specimens presented more contractive behaviour after given WDFT cycles. Fig. 14b presents the variations of dilatancy angle with the number of WDFT cycles under four various confining pressures. Note that the specimens with pure contractive behaviour are not included. For the specimens under given confining pressures lower than 200 kPa, the dilatancy angle increased with the increase of WDFT cycles, suggesting that the specimens after more WDFT cycles exhibited more pronounced dilative behaviour. For the specimens under a confining pressure of 300 kPa, the dialatancy angle were not noticeably influenced by the WDFT cycles. Additionally, the dialatancy angles of the specimens under a lower confining pressure was obviously larger than those of the specimens under a higher confining pressure, indicating the inhibition effect of confining pressure on the dilatant behaviour.




Fig. 13 Determined Poisson's ratio and dilatancy angle




Fig. 14 Variations of Poisson's ratio and dilatancy angle with the number of WDFT cycles: (a) Poisson's ratio, and (b) dilatancy angle

3.5 Microstructure analysis and deterioration mechanism of swelling mudstone

Fig. 15 depicts the cumulative mercury intrusion and density function curves of the as-compacted specimen and those subjected to various WDFT cycles. From the cumulative curves, three fast rises for the as-compacted specimen but two fast rises for the specimens subjected to WDFT cycles could be observed (Fig. 15a). The total intruded void ratio decreased after WDFT cycles because of slight volume shrinkage [33]. From the density function curves it was observed that the as-compacted specimen exhibited a trimodal porosity with a large pore population with a mean pore diameter of 11 μm, a medium pore population with a mean diameter of 0.55 μm and a small pore population with a mean diameter of 15 nm. According to the studies of Thom et al. [47] and Wang et al. [48], 2 μm was used to separate the intra-aggregate and inter-aggregate pores. The calculated void ratios of intra-aggregate and inter-aggregate pores for the specimens before and after various WDFT cycles are summarised in Table 2. It appeared that the WDFT cycles increased decreased the intra-aggregate pore volume and decreased—increased the inter-aggregate pore volume. This increase of inter-aggregate pores could be ascribed to the combined effects of the increasing suction during

drying and the formation of ice lenses during freezing process. While the specimens were dried, the aggregates were pulled apart by the increasing matric suction, and cracks appeared once the pulling stress is larger than the tensile strength. In the subsequent freezing process, the water would freeze with an increasing volume, and push away the adjacent aggregates. This facilitated to the propagation of cracks and enlargement of large pores [49]. The visual view of the specimens before and after various WDFT cycles is presented in Fig. 16. After the first cycle, several cracks initiated on the surface of specimen. With the further WDFT cycles, more and more cracks appeared and the pre-existing cracks became wider and longer. These cracks destructed the links between the aggregates and reduced the cohesion of aggregates. Thereby, a decrease of effective cohesion was observed in Fig. 12a. Meanwhile, the increasing suction during drying could induce void collapse inside aggregates, resulting in the decrease of the intra-aggregate pores (Table 2). This collapse was irreversible during the following wetting process [30, 50]. Thus, after WDFT cycles, more compact and rigid aggregates could be expected, giving rise to a larger internal friction (Fig. 12b). Additionally, the developed contacts between compact aggregates would favourite more dilative behaviour (Fig. 14b).

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336




Fig. 15 MIP results of specimens before and after different WDFT cycles: (a) cumulative intruded void ratio curves, and (b) density function curves

Table 2 Intra-aggregate and inter-aggregate void ratios of the mudstone after various WDFT cycles

| Cyclic number | n=0 | n=2 | n=4 | n=8 |
|----------------------------|-------|-------|-------|-------|
| Inter-aggregate void ratio | 0.125 | 0.250 | 0.256 | 0.272 |
| Intra-aggregate void ratio | 0.340 | 0.218 | 0.174 | 0.158 |

(a) (b) (c) (d) (e)

Fig. 16 The photos of specimens before and after different WDFT cycles: (a) n=0 (before WDFT cycles), (a) n=1, (c) n=2, (d) n=4, and (e) n=8

4 Modelling of mechanical behaviour subjected to WDFT cycles

In geotechnical engineering, constitutive model is very important for mechanical prediction. Stress-strain relation is a measure of material stiffness and shear strength under different circumstances and a key input parameter for mechanistic-empirical geotechnical engineering design method. As discussed above, the specimens exhibited remarkable strain-softening bahaviour after WDFT cycles in this study. Although the Modified Cam Clay (MCC) model [51] has been widely used in describing many important features of the mechanical behaviour of clay, it is limited to the softening simulation of the soils in a heavily overconsolidated state. For most clayey deposits, MCC often underestimates the softening degree. As for other MCC-based models, such as the enforced strain-softening model [52] and Structured Cam Clay (SCC) model [53], the model parameters are increasingly complex and the models are not easily realizable. In this work, to capture the strain-softening behaviour, a three-parameter nonlinear elastic constitutive model was proposed:

$$q = \frac{\varepsilon_1(a + c\varepsilon_1)}{(a + b\varepsilon_1)^2} \tag{12}$$

where a, b, and c are the parameters related to specimen property. The first-order derivative $dq/d\varepsilon_1$ 359

360 can be derived as follows:

361

$$\frac{dq}{d\varepsilon_1} = \frac{(a+2c\varepsilon_1)(a+b\varepsilon_1)-2b\varepsilon_1(a+c\varepsilon_1)}{(a+b\varepsilon_1)^3} \tag{13}$$

363 The slope of the tangent line at the initial stage is the elastic modulus E_0 :

$$E_0 = \frac{\mathrm{d}q}{\mathrm{d}\varepsilon_1} \Big|_{\varepsilon_1 = 0} = \frac{1}{a} \tag{14}$$

Then, the relationship between the elastic modulus and parameter a can be written as: 365

$$a = \frac{1}{E_0} \tag{15}$$

367 To find the critical point of $\varepsilon_{1-\text{max}}$, setting $dq/d\varepsilon_1$ equal to zero yields:

$$\varepsilon_{1-\text{max}} = \frac{a}{b-2c} \tag{16}$$

369 By substituting $\varepsilon_{1-\text{max}}$ into Eq. (12), the peak deviator stress can be derived:

$$q_{\rm p} = \frac{1}{4(b-c)} \tag{17}$$

- When the axial stain reaches to a very large value (tend to infinity), the deviator stress remains at a 371
- residual value ($q_{\rm r}$). The value of residual deviator stress can be calculated using the equation below: 372

$$q_{r} = \lim_{\varepsilon_{1} \to \infty} \frac{\varepsilon_{1}(a + c\varepsilon_{1})}{(a + b\varepsilon_{1})^{2}} = \frac{c}{b^{2}}$$
(18)

- 374 By combining Eqs. (17) and (18), parameters b and c can be calculated using Eqs. (19) and (20),
- respectively: 375

376
$$b = \frac{1 - \sqrt{1 - q_{r}/q_{p}}}{2q_{r}}$$
(19)
$$c = \frac{2 - q_{r}/q_{p} - 2\sqrt{1 - q_{r}/q_{p}}}{4a}$$
(20)

$$c = \frac{2 - q_{\rm r}/q_{\rm p} - 2\sqrt{1 - q_{\rm r}/q_{\rm p}}}{4q_{\rm r}}$$
 (20)

According to Eq. (15), the model parameter a represents the elastic modulus. The higher the value of 378

a, the larger the elastic modulus. Based on Eqs. (17-18), the difference between parameters b and c 379

reflects the peak shear strength while the ratio of c to b^2 is equal to the residual shear strength. The 380

higher difference between b and c and ratio of c to b^2 mean a lower peak shear strength and a larger residual shear strength, respectively. As remarked earlier, Eqs. (6-9) describe the relationships between the effective cohesion, effective friction angle and the number of WDFT cycles. Thus, the shear strength parameters at peak and critical states for the specimens after various WDFT cycles can be obtained using Eqs. (6-9). Correspondingly, the shear strengths at peak and critical states for the specimens under various confining pressures can be calculated based on the relationship between the axial stress σ_1 and confining pressure σ_3 described by the Mohr-Coulomb criterion:

$$\sigma_1 = \frac{2c \cdot \cos\phi}{1 - \sin\phi} + \frac{1 - \sin\phi}{1 - \sin\phi}\sigma_3 \tag{21}$$

where ϕ and c are the effective friction angle and effective cohesion at peak or critical state, respectively. According to the calculated peak and residual shear strengths at various confining pressures, the values of parameters a and b can be obtained for the specimens after different WDFT cycles using Eqs. (19) and (20). Based on the calculated peak shear strength, the elastic modulus can be obtained. The obtained elastic modulus is employed to calculate parameter a according to Eq. (15). The obtained values of parameters a, b, and c are also summarised in Table 3.

According to the obtained parameters, the deviator stress-axial strain relationship for specimens before and after various confining pressures can be predicted using Eq. (12). The proposed model presents an effective description of the strain-softening behaviour of the as-compacted specimens and those subjected to WDFT. The deviator stress-axial strain curves were then compared with the experimental results in Fig. 17. A satisfactory agreement was obtained between the estimated and the measured mechanical behaviour, showing the good performance of

- 401 the proposed model. The proposed model could well take the detrimental effect of WDFT cycles
- into account on the mechanical behaviour of the swelling mudstones in seasonally frozen regions.

Table 3 The parameter values in the proposed model

| n | σ_3 (kPa) | a (×10 ⁻⁵) | b (×10 ⁻³) | c (×10 ⁻⁴) |
|---|------------------|------------------------|------------------------|------------------------|
| 0 | 50 | 3.698 | 1.291 | 3.711 |
| | 100 | 3.061 | 1.070 | 3.408 |
| | 200 | 2.277 | 0.807 | 2.918 |
| | 300 | 1.813 | 0.655 | 2.569 |
| | 50 | 4.149 | 1.344 | 2.780 |
| 1 | 100 | 3.324 | 1.082 | 2.760 |
| | 200 | 2.378 | 0.793 | 2.512 |
| | 300 | 1.851 | 0.635 | 2.274 |
| 2 | 50 | 4.478 | 1.414 | 2.358 |
| | 100 | 3.504 | 1.108 | 2.478 |
| | 200 | 2.441 | 0.788 | 2.298 |
| | 300 | 1.873 | 0.620 | 2.071 |
| 4 | 50 | 4.840 | 1.518 | 2.103 |
| | 100 | 3.691 | 1.151 | 2.331 |
| | 200 | 2.503 | 0.791 | 2.161 |
| | 300 | 1.893 | 0.610 | 1.917 |
| 6 | 50 | 4.979 | 1.567 | 2.076 |
| | 100 | 3.760 | 1.171 | 2.317 |
| | 200 | 2.524 | 0.793 | 2.123 |
| | 300 | 1.899 | 0.606 | 1.862 |
| 8 | 50 | 5.028 | 1.589 | 2.105 |
| | 100 | 3.783 | 1.182 | 2.349 |
| | 200 | 2.531 | 0.797 | 2.145 |
| | 300 | 1.901 | 0.608 | 1.876 |




Fig. 17 Predicted stress-strain curves of specimens before and after various WDFT cycles: (a) n=0 (before WDFT cycles), (a) n=1, (c) n=2, (d) n=4, (e) n=6, and (f) n=8

5 Conclusions

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

In this study, the effect of WDFT cycles on the mechanical behaviour of Yanji mudstone and the involved mechanism were investigated by carrying out a series of CD triaxial tests and microstructure investigation. A nonlinear elastic constitutive model was then proposed to predict the mechanical behaviour the mudstone subjected to WDFT cycles. According to the obtained results, the following conclusions are drawn: (1) From the microstructure analysis, drying and freezing processes could induce cracks on the specimen surface and destroyed the links between aggregates, resulting in an increase of the inter-aggregate pore volume. Meanwhile, the increasing suction during drying would lead to the void collapse inside aggregates and the contraction of aggregates. As a result, the aggregates became more rigid and compact with a decrease of the intra-aggregate pore volume after WDFT cycles. (2) From CD triaxial tests, it was observed that the specimens exhibited more significant strain-softening and dilative behaviour after WDFT cycles. The elastic modulus, and peak and residual shear strengths decreased with the increase of WDFT cycles and the decreasing rate tended to stabilization after four cycles. The lower the confining pressure, the more significant the influence of WDFT cycles. As the number of WDFT cycles increased, the effective cohesion at both the peak and critical states decreased due to the deconstruction of aggregates while the effective friction angle at both the peak and critical states increased slightly owing to the more compact aggregates. Moreover, the Poisson's ratio and dilatancy angle increased because of the more rigid contacts between aggregates after WDFT cycles.

428 (3) According to strain-softening behaviour, a nonlinear elastic constitutive model considering the detrimental effect of WDFT cycles was proposed to predict the mechanical behaviour of swelling 429 mudstone in seasonally frozen regions. A satisfactory agreement between the predicted and 430 431 measured stress-strain behaviour was identified, indicating the good prediction performance of the 432 proposed method. 433 434 CRediT authorship contribution statement Zhixiong Zeng: Conceptualization, Investigation, Formal analysis, Writing - original draft; Ling-Wei 435 436 Kong: Methodology, Writing - review & editing; Yu-Jun Cui: Methodology, Writing- review & 437 editing 438 439 **Declaration of Competing Interest** 440 The authors declare that they have no known competing financial interests or personal relationships 441 that could have appeared to influence the work reported in this paper. 442 443 Acknowledgments 444 The work presented in this paper was supported by the National Key Research and Development Program of China (Grant No. 2019YFC1509901). 445 446 447 **Data availability**

Data will be made available on request.

449 References

- 450 1. Alonso EE, Gens A, Hight DW (1987) Special problems soils General Rep. In: European
- 451 Conference on Soil Mechanics and Foundation Engineering, Dublin, Ireland
- 2. Chen XO, Lu ZW, He XF (1985) Moisture movement and deformation of expansive soils. In
- 453 Proceeding of 14th International Conference on Soil Mechanics and Foundation Engineering,
- 454 San Francisco, California, 2389-2392
- 3. Chen FH (1975) Foundations on expansive soils. Elsevier Science, Amsterdam
- 456 4. Massat L, Cuisinier O, Bihannic I, Claret F, Pelletier M, Masrouri F, Gaboreau S (2016) Swelling
- pressure development and interaggregate porosity evolution upon hydration of a compacted
- 458 swelling clay. Appl Clay Sci 124–125:197–210
- 5. Tripathy S, Subba Rao KS, Fredlund DG (2002) Water content-void ratio swell-shrink paths of
- compacted expansive clays. Can Geotech J 39(4): 938–959
- 461 6. Zhao GT, Han Z, Zou WL, Wang XQ (2021) Evolution of mechanical behaviours of an
- expansive soil during drying-wetting, freeze-thaw, and drying-wetting-freeze-thaw cycles.
- Bulletin of Engineering Geology and the Environment 80(10): 8109-8121
- 464 7. Zou WL, Han Z, Zhao GT, Fan KW, Vanapalli SK, Wang XQ (2022) Effects of cyclic freezing
- and thawing on the shear behaviors of an expansive soil under a wide range of stress levels.
- Environmental Earth Sciences 81(3): 1-14
- 8. Jones LD, Jefferson I (2012) Expansive soils, In: BURLAND J (ed.) ICE manual of geotechnical
- engineering: geotechnical engineering principles, problematic soils and site investigation. Vol
- 469 1. ICE Publishing, London, UK 413-441
- 9. Shi B, Jiang H, Liu, Z., Fang HY (2002) Engineering geological characteristics of expansive soils
- 471 in China. Eng Geol 67(1): 63–71
- 472 10. Turkoz M, Tosun H (2011) A GIS model for preliminary hazard assessment of swelling clays, a
- case study in Harran plain (SE Turkey). Environmental Earth Sciences 63(6): 1343-1353
- 474 11. Turkoz M, Savas H, Acaz A (2014) The effect of magnesium chloride solution on the
- engineering properties of clay soil with expansive and dispersive characteristics. Applied Clay
- 476 Science 101: 1-9

- 477 12. Zhang YS, Qu YX, Liu GL, Wu SR (2003) Engineering geological properties of Miocene hard
- clays along the middle line of the North–South Diversion Water Project in China. Bull Eng
- 479 Geol Environ 62(3): 213–219
- 480 13. Bensallam S, Bahi L, Alaoui M, Ejjaaouani H, Shakhirev V (2014) The effect of overpressure
- on the vertical cyclic deformations for clayey expansive soils in Morocco. Geosci J 18 (1):
- 482 81-87
- 483 14. Estabragh AR, Parsaei B, Javadi AA (2015) Laboratory investigation of the effect of cyclic
- wetting and drying on the behaviour of an expansive soil. Soils Found 55(2): 304-314
- 485 15. Villar MV, Lloret A (2008) Influence of dry density and water content on the swelling of a
- 486 compacted bentonite. Appl Clay Sci 39(1-2): 38-49
- 487 16. Cui SL, Zhang HY, Zhang M (2012) Swelling characteristics of compacted GMZ bentonite-
- sand mixtures as a buffer/backfill material in China. Eng Geol 141: 65-73
- 489 17. Komine H, Ogata N (1994) Experimental study on swelling characteristics of compacted
- 490 bentonite. Can Geotech J 31(4): 478-490
- 491 18. Zeng ZX, Cui YJ, Talandier J (2021) Compaction and sealing properties of bentonite/claystone
- 492 mixture: Impacts of bentonite fraction, water content and dry density. Engineering Geology
- 493 287: 106122
- 494 19. Kong LW, Zeng ZX, Bai W, Wang M (2018) Engineering geological properties of weathered
- swelling mudstones and their effects on the landslides occurrence in the Yanji section of the
- Jilin-Hunchun high-speed railway. Bull Eng Geol Environ 77: 1491–1503
- 497 20. Sharma K, Okuno D, Munekata W (2012) Slaking effect on shear deformation and creep
- deformation of mudstone. Proc. 13th international summer symposium, Kyoto Japan 39-42
- 499 21. Sharma K, Kiyota T, Kyokawa H (2013) Effect of slaking on the engineering behaviour of the
- crushed mudstones. Bulletin of Earthquake Resistant Structure Research Center (ERS) 46: 73–
- 501 82
- 502 22. Adem H, Vanapalli S (2016) Soil-environment interactions modeling for expansive soils.
- Environmental Geotechnics 3(3): 178–187

- 504 23. Chen R, Ng CWW (2013) Impact of wetting-drying cycles on hydro- mechanical behavior of an
- unsaturated compacted clay. Applied Clay Science 86: 38-46
- 506 24. Erguler ZA, Shakoor A (2009) Relative contribution of various climatic processes in
- disintegration of clay-bearing rocks. Eng Geol 108(1–2): 36–42
- 508 25. Li K, Nowamooz H, Chazallon C, Migault B (2018) Zarka shakedown modelling of expansive
- soils subjected to wetting and drying cycles. Geomechanics and Geoengineering 13(2): 77-87
- 510 26. Subba Rao KS, Tripathy S (2009) Cyclic Swell–Shrink Behaviour of a Compacted Expansive
- Soil. Geotechnical and Geological Engineering 27(1): 89-103
- 512 27. Nowamooz H, Masrouri F (2010) Influence of suction cycles on the soil fabric of compacted
- swelling soil. Compted Rendus Geoscience 342: 901–910
- 514 28. Nowamooz H, Masrouri F (2010) Mechanical behaviour of expansive soils after several drying
- and wetting cycles. Geomechanics and Geoengineering 5(4): 213–221
- 516 29. Tang C, Shi B, Liu C, Zhao L, Wang B (2008) Influencing factors of geometrical structure of
- surface shrinkage cracks in clayey soils. Eng Geol 101(3): 204–217
- 30. Alonso EE, Romero E, Hoffmann C, Garc á-Escudero E (2005) Expansive bentonite-sand
- mixtures in cyclic controlled-suction drying and wetting. Eng Geol 81(3): 213-226
- 520 31. Han Y, Wang Q, Wang N, Wang J, Zhang X, Cheng S, Kong Y (2018) Effect of freeze-thaw
- 521 cycles on shear strength of saline soil. Cold Regions Science and Technology 154: 42-53
- 32. Lu Y, Liu S, Weng L, Wang L, Li Z, Xu L (2016) Fractal analysis of cracking in a clayey soil
- 523 under freeze–thaw cycles. Engineering Geology 208: 93-99
- 33. Zeng ZX, Kong LW, Wang M, Sayem HM (2018) Assessment of engineering behaviour of an
- intensely weathered swelling mudstone under full range of seasonal variation and the
- relationships among measured parameters. Can Geotech J 55(12): 1837–1849
- 34. Nguyen TTH, Cui YJ, Ferber V, Herrier G, Ozturk T, Plier F, Tang AM (2019) Effect of
- freeze-thaw cycles on mechanical strength of lime-treated fine-grained soils. Transportation
- 529 Geotechnics 21: 100281
- 530 35. Tang AM, Hughes PN, Dijkstra TA, Askarinejad A, Brencic M, Cui YJ, Diez JJ, Firgi T,
- Gajewska B, Gentile F, Grossi G, Jommi C, Kehagia F, Koda E, ter Maat HW, Lenart S,

- Lourenco S, Oliveira M, Osinski P, Springman SM, Stirling R, Toll DG, Van Beek V (2018)
- Atmosphere-vegetation-soil interactions in a climate change context; impact of changing
- conditions on engineered transport infrastructure slopes in Europe. Quarterly Journal of
- Engineering Geology and Hydrogeology
- 36. Hotineanu A, Bouasker M, Aldaood A, Al-Mukhtar M (2015) Effect of freeze-thaw cycling on
- the mechanical properties of lime-stabilized expansive clays. Cold Reg Sci Technol 119:
- 538 151-157
- 539 37. Benson CH, Othman MA (1993) Hydraulic conductivity of compacted clay frozen and thawed
- in situ. ASCE Journal of Geotechnical Engineering 119(2): 276–294
- 541 38. Chamberlain EJ, Gow AJ (1979) Effect of freezing and thawing on the permeability and
- 542 structure of soils. Eng Geol 13(1): 73–92
- 39. Zou WL, Ding LQ, Han Z, Wang XQ (2020) Effects of freeze-thaw cycles on the moisture
- sensitivity of a compacted clay. Engineering Geology 278: 105832
- 545 40. Zhao GT, Zou WL, Han Z, Wang DX, Wang XQ (2021) Evolution of soil-water and shrinkage
- characteristics of an expansive clay during freeze-thaw and drying-wetting cycles. Cold
- Regions Science and Technology 186: 103275
- 548 41. Zhu R, Cai Z, Huang Y, Zhang C, Guo W, Wang Y (2022) Effects of
- wetting-drying-freezing-thawing cycles on mechanical behaviors of expansive soil. Cold
- Regions Science and Technology 193: 103422
- 42. Ministry of Water Resources, PR China (1999) Standard for soil test method (GB/T50123-
- 552 1999). China Planning Press, Beijing (in Chinese)
- 43. Zeng ZX, Kong LW (2019) Effect of wetting–drying–freezing–thawing cycles on the swelling
- behaviour of the Yanji mudstone. Environ Earth Sci 78(15): 435
- 555 44. ASTM D7181 (2020) Standard Test Method for Consolidated Drained Triaxial Compression
- 556 Test for Soils
- 45. Lee W, Bohra NC, Altschaeffl AG (1995) Resilient modulus of cohesive soil and the effect of
- freeze-thaw. J Can Geotech 32: 559–568

- 46. Vermeer PA, De Borst R (1984) Non-associated plasticity for soils, concrete and rock. HERON,
- 560 29 (3)
- 561 47. Thom R, Sivakumar R, Sivakumar V, Murray EJ, Mackinnon P (2007) Pore size distribution of
- unsaturated compacted kaolin: the initial states and final states following saturation.
- 563 Géotechnique 57(5): 469-474
- 48. Wang Q, Cui YJ, Tang AM, Barnichon JD, Saba S, Ye WM (2013) Hydraulic conductivity and
- microstructure changes of compacted bentonite/sand mixture during hydration. Eng Geol 164:
- 566 67-76
- 567 49. Zeng ZX, Kong LW, Wang M, Wang J (2020) Effects of remoulding and
- wetting-drying-freezing-thawing cycles on the pore structures of Yanji mudstones. Cold
- Regions Science and Technology, 174: 103037
- 570 50. Tang CS, Cui YJ, Tang AM, Shi B (2010) Experiment evidence on the temperature dependence
- of desiccation cracking behavior of clayey soils. Eng Geol 114(3–4): 261-266
- 572 51. Roscoe KH, Burland JB (1968) On the generalized stress-strain behavior of 'wet' clay,
- Engineering Plasticity (edited by J. Heyman and F.A. Leckie), Cambridge University Press:
- 574 535-609
- 575 52. Carter JP, Liu MD (2005) Review of the structured Cam clay model, Soil Constitutive Models:
- Evaluation, Selection and Calibration, ASCE, Geotechnical Special Publication 128: 99-132
- 577 53. Chai JC, Carter JP, Hayashi S (2007) Modelling strain-softening behaviour of clayey soils.
- Lowland Technology International, 9(2): 29-37